

**Muestra
No**

$\sigma_3 =$

Kg/cm²

Lectura flexímetro vertical [mm]	Δ L [mm]	ε_w [%]	Lectura flexímetro aro [mm]	Ω Correg [cm ²]	$\sigma_1 - \sigma_3$ [kg/cm ²]	σ_1 [kg/cm ²]	ν [kg/cm ²]
0.00	0.00						
0.25	0.25						
0.50	0.50						
0.75	0.75						
1.00	1.00						
1.25	1.25						
1.50	1.50						
1.75	1.75						
2.00	2.00						
2.25	2.25						
2.50	2.50						
2.75	2.75						
3.00	3.00						
3.25	3.25						

**Muestra
No**

$\sigma_3 =$

Kg/cm²

Lectura flexímetro vertical [mm]	Δ L [mm]	ε_w [%]	Lectura flexímetro aro [mm]	Ω Correg [cm ²]	$\sigma_1 - \sigma_3$ [kg/cm ²]	σ_1 [kg/cm ²]	ν [kg/cm ²]
0.00	0.00						
0.25	0.25						
0.50	0.50						
0.75	0.75						
1.00	1.00						
1.25	1.25						
1.50	1.50						
1.75	1.75						
2.00	2.00						
2.25	2.25						
2.50	2.50						
2.75	2.75						
3.00	3.00						
3.25	3.25						

Muestra**No** $\sigma_3 =$ Kg/cm²

Lectura flexímetro vertical [mm]	Δ L [mm]	ε_w [%]	Lectura flexímetro aro [mm]	Ω Correg [cm ²]	$\sigma_1 - \sigma_3$ [kg/cm ²]	σ_1 [kg/cm ²]	ν [kg/cm ²]
0.00	0.00						
0.25	0.25						
0.50	0.50						
0.75	0.75						
1.00	1.00						
1.25	1.25						
1.50	1.50						
1.75	1.75						
2.00	2.00						
2.25	2.25						
2.50	2.50						
2.75	2.75						
3.00	3.00						
3.25	3.25						